



R. STAHL PRODUCTS



LUMINAIRES



Linear luminaires



Tubular light fittings



Emergency luminaires



Floodlights



Pendant light fittings



Wall- and ceiling-mounted
bulkhead light fittings



Helideck systems



Hand lamps

JUNCTION AND TERMINAL BOXES



GRP Ex e junction and
terminal boxes



Stainless steel Ex e terminal
boxes



Cast aluminium Ex d junction
and terminal boxes



High-current terminal boxes



Terminal boxes industrial
version

STAHL



CONTROL BOXES



Ex e local control boxes



Ex e control boxes that can be configured to your exact requirements



Ex d local control boxes



Thermostats



Temperature controls and temperature limiters



Control equipment for panel mounting



Control stations for industrial area

CONTROL SYSTEMS AND DISTRIBUTION BOARDS



Lighting and heating circuit distribution boards



Load disconnect switch



Motor protection circuit breakers



DOL motor starters, star delta starters, soft starters



Safety switches



Uninterrupted power supply (UPS)



Machine control




Battery boxes



HVAC Solutions

Components for Ex e solutions

			
Micro switches and position switches	Actuators	Ammeter/voltmeter	Barriers
			
Busbar systems	Circuit breaker	480 V circuit breakers	Contactor
			
Control devices	Enclosure heater	Fuses	Motor protection
			
Motor starter 37 kW / 50 hp	Power supply	Relay	Surge arrester
			
Switches	Contact element	Accessories	

Empty enclosures



Ex e stainless steel



Ex d aluminium



Ex d stainless steel



Ex d steel

Components for Ex d solutions



Bushings



Conduit material

SIGNALLING DEVICES



Visual signalling devices



Audible signalling devices



Audible and visual signalling devices



Control devices

PLUGS AND SOCKETS



Plugs and sockets



Plug connectors



Socket outlet assemblies

STAHL

HMIS, MOBILE SOLUTIONS AND CCTV SYSTEMS



HMIs



**Barcode readers for
hazardous and safe areas**



**RFID readers for hazardous
and safe areas**



**Panel PCs / Thin Clients
Operator Stations**



**KVM Classic Operator
Stations / Panel mount
devices**



**Panel PCs / Thin Clients
for rough environments**



**KVM Classic for rough
environments**



**Operator Interfaces for rough
environments**



**Panel-mount devices for
Machine operation**



KVM over IP devices



Thin Clients for Control rooms



Ethernet extender




**Configurable software
packages**





HMI FINDER

HMI Finder



Cancelled HMI versions

CCTV systems and cameras

			
Pan-Tilt-Zoom-Cameras PTZ	Thermal imaging cameras	Auto-Focus-Zoom-Cameras AFZ	Cameras with / without wiper system
			
Qognify VMS	Video encoder	HMI for video surveillance	IT-hardware for video surveillance
			
Multi-cable	Brackets and extender	Enclosures and junction boxes	Cable glands
			
Water tank	Data transmission	Surge protection	CCTV system solutions
			
CCTV SYSTEM FINDER	FAT - factory acceptance test	SAT - site acceptance test	Trainings

STAHL

AUTOMATION INTERFACES AND SOLUTIONS



Safety barriers



Single-channel safety barriers



Two-channel safety barriers



Safety barriers with electronic current limitation


Isolators



Ex-i isolators



Non-Ex i isolator



pac carrier/backplane solution



HART communication

Mobile solutions



Mobile solutions



Mobile devices

STAHL



Remote I/O



CPU & power modules



Analogue I/O modules



Digital I/O modules



Digital output modules



Temperature input modules



System components and accessories



Universal modules

Fieldbus technology



Fieldbus power supply



Digital I/O coupler



Field device coupler



Physical layer diagnostics



System components and accessories

STAHL



Ethernet-APL Field Switch



Zone 1 Field Switches



Zone 2 Field Switches

Grounding monitoring devices and systems



Grounding Monitoring Device



Switching Repeater Leakage Monitor

Ex p products




Ex p control systems (i.e. with pressurised enclosures)



Ex p System

Networking technology



HFisolator




Coaxial cable bushing



**Media Converter
Ethernet**



Ethernet terminal



Optical fibre splice cassette



**Isolating repeater
PROFIBUS DP / Modbus RTU**



**Media converter
PROFIBUS DP / Modbus RTU**



**Wireless / network enclosure
system - Zone 2**



**Wireless / network enclosure
system - Zone 1/21**



Antennas